


## FEATURES:

- Input: AC 100-240V~ 50/60Hz
- Available plug: US, EU, AU, UK, KR, India plug
- Power: 5W, 12W, 18W series
- Ovp, ocp, scp and Over load protection
- Ripple < 120mV
- Efficiency level: VI
- Dimension: 60\*30\*25mm(exclude plug)
- Application: Consumer electronics, Telecom and office equipment



## SAFETY:

SAFETY:	
Safety Standard	UL 62368, IEC 62368, EN 61558, IEC60601, IEC60335
Safety Approval	UL/cUL, CE, FCC, UKCA, PSE, CB, SAA, KC, TUV
EMC Standard	EMC EMISSION: EN55032 class B (CISPR32), EN61000-3-2, -3, EAC TP TC 020 EMC IMMUNITY: EN61000-4-2, 3, 4, 5, 6, 8, 11, EN55024; light industry level, criteria A, EAC TP TC 020
MTBF	50K hrs min. MIL-HDBK-217F (25°C)


## MODEL LIST:

### 5W WALL MOUNTED SERIES


MODEL	INPUT VOLTAGE	POWER	OUTPUT VOLTAGE	OUTPUT CURRENT	PLUG TYPE
SW-01050100-S04z	100-240VAC	5W	5V	1.0A	US, EU, AU, UK
SW-01050120-S04z	100-240VAC	6W	5V	1.2A	US, EU, AU, UK
SW-01050150-S04z	100-240VAC	7.5W	5V	1.5A	US, EU, AU, UK
SW-01090050-S04z	100-240VAC	12W	9V	0.5A	US, EU, AU, UK
SW-01120050-S04z	100-240VAC	6W	12V	0.5A	US, EU, AU, UK

## Mechanical Diagram


### UK PLUG



### US PLUG



### AUS PLUG



### EU PLUG

